【全体】

(令和6年4月11日現在)

						精		検	約	E I	果									3 1 1 [2] 20 [22]
区分	対象者数	受診者数	要精検者数	精検受診者数	異常なし	転移 限 局 性	はる局所進行	対立腺が 転移あり	転移不明	計	前立腺がんの疑(未確定)	がん以外の疾患	精検未受診者	(再掲) 医師 判断 PSA フォロー	精検結果未把握	受診率	要精検率	精検受診率	がん発見率	陽性反応適中度
	(a)	(b)	(c)	(d)	(ア)	(イ)	性 (ウ)	(工)	(才)	(カ)	(キ)	(ク)	(e)		(f)	(b/a)	(c∕b)	(d∕c)	(カ/b)	(カ/c)
50歳	8,680	757	20	14	8	_	_	_	_	-	_	6	4	3	2	8.7	2.6%	70.0%	0.0%	0.0%
55歳	7,123	356	22	14	7	1	_	_	_	1	_	6	3	2	5	5.0	6.2%	63.6%	0.3%	4.5%
60歳	6,388	330	34	25	13	2	1	_	_	3	_	9	3	1	6	5.2	10.3%	73.5%	0.9%	8.8%
65歳	9,149	433	40	27	11	1	_	_	2	3	_	13	5	3	8	4.7	9.2%	67.5%	0.7%	7.5%
70歳	12,757	438	57	44	14	7	_	_	1	8	_	22	2	1	11	3.4	13.0%	77.2%	1.8%	14.0%
計	44,097	2,314	173	124	53	11	1	-	3	15	-	56	17			5.2	7.5%		0.6%	8.7%
※未把握29名 + 不明3名 = 32名 再掲;【PSA検査:過去検査経験なし(今回が初回)】																				
50歳		706	18	12	6	_	_	_	-	-	_	6	4		2		2.5%	66.7%	0.0%	0.0%
55歳		313	17	10	6	1	1	-	-	1	ı	3	2		5		5.4%	58.8%	0.3%	5.9%
60歳		257	24	19	10	1	1	1	_	2	1	7	3		2		9.3%	79.2%	0.8%	8.3%
65歳		317	27	18	9	1	_	_	2	3	_	6	3		6		8.5%	66.7%	0.9%	11.1%
70歳		297	37	29	9	6	_	_	1	7	_	13	2		6		12.5%	78.4%	2.4%	<u> 18.9%</u>
計		1,890	123	88	40	9	1	-	3	13	-	35	14	_	21		6.5%	71.5%	0.7%	10.6%
再掲;【PSA検査	Tight Ti																			
50歳		51	2	2	2	_	_	_	_	-	_	_	_	_	_		3.9%	100.0%	0.0%	0.0%
55歳		43	5	4	1	_			_	_		3	1	1			11.6%	80.0%	0.0%	0.0%
60歳		73	10	6	3	1	_	_	_	1	_	2	_	_	4		13.7%	60.0%	1.4%	10.0%
65歳		116	13	9	2	_	_	_	_	_	_	7	1	1	2		11.2%	69.2%	0.0%	0.0%
70歳		141	20	15	5	1	_	_	_	1		9	_	_	5		14.2%	75.0%	0.7%	<u>5.0%</u>
計		424	50	36	13	2	_	-	_	2	_	21	2	2	11		11.8%	72.0%	0.5%	4.0%